


# Compact Fire Fighting Packages



CODE	CAPACITY (Litre)	DIMENSIONS (L x W x H)	PUMP CODE	ENGINE/PUMP	STARTER	HP
FTRC200-25	200	1050 X 750 X 600	MB25L	Loncin/Onga	Pull Petrol	2.5
FTRC200-55	200	1050 X 750 X 600	B55H	Honda/Onga	Pull Petrol	5.5
FTRC400-25	400	1680 X 750 X 600	MB25L	Loncin/Onga	Pull Petrol	2.5
FTRC400-55	400	1680 X 750 X 600	B55H	Honda/Onga	Pull Petrol	5.5
FTRC600-25	600	1720 X 890 X 755	MB25L	Loncin/Onga	Pull Petrol	2.5
FTRC600-55	600	1720 X 890 X 755	B55H	Honda/Onga	Pull Petrol	5.5
FTRC800-25	800	1720 X 890 X 925	MB25L	Loncin/Onga	Pull Petrol	2.5
FTRC800-55	800	1720 X 890 X 925	B55H	Honda/Onga	Pull Petrol	5.5
FTRC800-65-T	800	1720 x 890 x 925	B65HT	Honda/Onga	Pull Petrol	6.5

## KEY FEATURES

- Mounting frames available
  - Tough and durable one-piece moulding
  - Sits directly on any flat surface
  - High strength, lightweight polyethylene construction
  - 12m hose with fire fighting nozzle
  - Wear pads to allow airflow underneath and protect ute tray
  - Provision for strap or pin mounting
- \*Refer to Water Cartage & Fire Fighting Pumps page 61 for full pump details



# Skid Mounted Fire Fighting Packages



CODE	CAPACITY (Litres)	STARTER	DIMENSIONS (L x W x H)	ENGINE*
FTRS600	600	Pull-Petrol	1800 x 1400 x 850	B65HT
FTRS600ES	600	Electric- Starter	1800 x 1400 x 850	B65HTES
FTRS800	800	Pull-Petrol	1900 x 1400 x 850	B65HT
FTRS800ES	800	Electric- Starter	1900 x 1400 x 850	B65HTES
FTRS1200	1200	Pull-Petrol	1900 x 1400 x 1100	B65HT
FTRS1200ES	1200	Electric- Starter	1900 x 1400 x 1100	B65HTES
FTRS2000	2000	Pull-Petrol	2100 x 1800 x 1200	B65HT
FTRS2000ES	2000	Electric- Starter	2100 x 1800 x 1200	B65HTES

## KEY FEATURES

- 6.5HP Honda twin-impeller pump
  - 36m hose reel and fire fighting nozzle included
  - Heavy duty galvanised skid frame
  - Fork on - fork off capability
  - Bottom fill manifold with 6m suction hose
  - Optional dust suppression nozzle kit available (DSN20K)
- \*Refer to Water Cartage & Fire Fighting Pump page 61 for full pump details

## Skids

CODE	COMPATIBILITY	DIMENSIONS L x W x H
FFS600	600Ltr FTR Tanks	1595 x 1120 x 115
FFS800-1200	800 - 1200Ltr FTR Tanks	1745 x 1350 x 115
FFS2000	2000Ltr FTR Tanks	1940 x 1690 x 115



FTRS2000

# Trailer Packages

## Fire Fighting Trailers



CODE	CAPACITY (Litres)	PUMP*	STARTER	ENGINE/PUMP	TANK DIMENSIONS (L x W x H)	TRAILER DIMENSIONS (L x W x H)
FTRT1200T	1200	B65HT	Pull - Petrol	Honda/Onga	1450 x 1200 x 1000	3940 x 1770 x 1500
FTRT1200TES	1200	B65HTES	Electric - Petrol	Honda/Onga	1450 x 1200 x 1000	3940 x 1770 x 1500
FTRT1200TESD	1200	---	Electric - Diesel	Yanmar/Onga	1450 x 1200 x 1000	3940 x 1770 x 1500
FTRT2000	2000	B65HT	Pull - Petrol	Honda/Onga	1900 x 1450 x 1200	4460 x 1970 x 1650
FTRT2000ES	2000	B65HTES	Electric - Petrol	Honda/Onga	1900 x 1450 x 1200	4460 x 1970 x 1650
FTRT2000ESD	2000	FFDPTES	Electric - Diesel	Yanmar/Onga	1900 x 1450 x 1200	4460 x 1970 x 1650

### KEY FEATURES - TRAILER

- Hot dip galvanised dual axle trailer
- 14" wheels - 5 stud pattern
- Electric brakes on 2000 ltr unit
- Road pack including brakes and LED lights
- Emergency breakaway protection
- Compliance plate - road registrable

### KEY FEATURES - TANK AND PUMP


- 6.5HP Honda powered twin impeller pump
- 400mm 1/4 turn hinged lid
- Trailer mounted toolbox to protect the hose
- Suction return manifold with 6m suction hose
- 36m Hose reel & fire fighting nozzle
- Optional dust suppression nozzle kit available (DSN20K)
- \*Refer to Water Cartage & Fire Fighting Pumps page for full pump details

FTRT1200TES



# Water Cartage & Fire Fighting Pumps

CODE	DESCRIPTION	ENGINE/ PUMP	STARTER	POWER (HP)	HEAD (m)	FLOW (LPM)	INLET	OUTLET	# OF OUTLETS	WARRANTY (yrs)
MB25L	Mini Blaze 2.5HP	Loncin/Onga	Pull - Petrol	2.5	21	133	25mm BSPM	25mm BSPM	1	1
B55H	Honda 5.5HP Single Impeller	Honda/Onga	Pull - Petrol	5.5	60	585	32mm BSPM	25mm, 25mm, 40mm BSPM	3	2
B65HT	Honda 6.5HP Twin Impeller	Honda/Onga	Pull - Petrol	6.5	100	373	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2
B65HTES	Honda 6.5HP Twin Impeller Electric Start	Honda/Onga	Electric - Petrol	6.5	100	373	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2
FFDPTES	Yanmar 7HP Diesel Electric Start	Yanmar/Onga	Electric - Diesel	7	100	450	50mm BSPM	25mm, 25mm, 40mm BSPM	3	2



## Fire Fighting Accessories

CODE	DESCRIPTION	DIMENSIONS (L x W x H)
FFHR1	Hose Reel Only 20mm x 36mtr	555 DIA x 165W
TFFK	Tank Fire Fighting Kit with 36mtr Hose reel on galvanised stand	900 x 600 x 700
FHR	Manual Hose Reel 20mm x 36mtr	427 x 391 x 380
DSN20K	Dust Suppression Nozzle	



\* Does not include hose



\* Does not include hose

